

BEST AVAILABLE COPY

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	7	((eye adj point) eye-point) near model\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/12/22 11:27
S2	23509	physics and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/17 11:19
S3	3	(physics and interface).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/17 11:19
S4	140	physics near3 interface	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/17 11:20
S5	0	physics near3 interface and spring with pulley	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/17 11:22
S6	0	physics near3 interface and spring and pulley	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/17 11:23
S7	40	physics near3 interface and spring	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/17 11:24
S8	19	physics near3 interface and simulation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/17 12:49
S9	187	physic near3 simulation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/17 12:50
S10	187	physic near3 simulation	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/17 12:50
S11	292	physic near3 simulat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/17 12:53
S12	7	physic near3 interactive	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/17 13:30

S13	101	434/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/17 13:31
S14	17	434/300.ccls. and simulat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/17 13:46
S15	2911936	cross menu	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/17 13:46
S16	9	cross adj menu	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/17 13:47
S17	6	715/718.ccls. and cross	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/17 13:48
S18	16	715/718.ccls. and horizontal	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/02/17 13:48
S19	7	("5367316" "5422682" "5450079" "5604544" "5606374" "5629733" "5650831").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 13:49
S20	0	715/718.ccls	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/17 13:52
S21	45	715/718.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/17 13:53
S22	1167	horizontal near scroll	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/17 13:54
S23	121	horizontal near scroll same menu	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/17 13:58
S24	35	horizontal near5 submenu	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/02/17 13:59

S25	34	("4706121" "4905094" "4937863" "4977455" "4991011" "4992940" "5038211" "5077607" "5204897" "5208665" "5210611" "5260999" "5323234" "5325423" "5343239" "5353121" "5357276" "5404393" "5412720" "5416508" "5583560" "5585866" "5589892" "5592551" "5619274" "5627940" "5640501" "5640577" "5664111" "5715314" "5715399" "5727163" "5960411" "6016141").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 14:06
S26	0	3d near navigatoin	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 15:40
S27	89	3d near navigation	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 15:41
S28	96	715/850.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 15:41
S29	27	715/850.ccls. and focus	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 15:45
S30	80	3d near2 simulation and focus	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 15:58
S31	32	715/851.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 16:01
S32	419	real-time near2 3d	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 16:01
S33	10	real-time near2 3d near2 simulat\$5	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 16:47
S34	0	dynasim	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 16:47
S35	8	dynaflow	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 16:47
S36	45	dynaflow	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 16:48

S37	188	physics-based	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 16:48
S38	0	physics-based and 3d and navigatoin	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 16:48
S39	8	physics-based and 3d and navigation	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 16:48
S40	1254	real-time and 3d and navigation	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 16:49
S41	1136	real-time and 3d and navigation and view	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 16:49
S42	285	real-time and 3d and navigation and simulation	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 17:03
S43	15	msc.as.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 17:05
S44	1	interactive near physics	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 11:28
S45	4	("4308015" "5364271" "5388990" "5456604").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/02/17 17:06
S46	7415	eye near3 point	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 11:28
S47	6	(eye-point (eye near point)) near model	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 11:30
S48	29	(eye-point (eye near point)) with simulation	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 11:32
S49	0	("2003/0132973").URPN.	USPAT	OR	OFF	2005/12/22 11:32
S50	6	(eye-point (eye near point)) with dynamic	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 11:33
S51	15	(eye-point (eye near point)) with dynamic\$5	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 11:35
S52	1	(eye-point (eye near point)) with physics	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 11:35

S53	22	(eye-point (eye near point)) with assembly	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 11:36
S54	6	(eye-point (eye near point)) with adapt	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 11:46
S55	192	(point near view) with adapt	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 11:49
S56	45	(point near view) with adapt and simulat\$5	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 11:54
S57	3	("5604848" "6346938" "6597380").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 12:26
S58	130764	view near point	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 12:28
S59	906	(view near point (viewpoint)) with dynamic	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 12:28
S60	19	(view near point (viewpoint)) with dynamic\$5 with physic\$	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 12:29
S61	8	(view near point (viewpoint)) with dynamic\$5 with simulation	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 12:29
S62	8	(view near point (viewpoint)) with dynamic\$5 with simulation	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/22 12:30
S63	5168	(view near point (viewpoint)) with (create build assemb\$5)	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/22 12:30
S64	46	(view near point (viewpoint)) with (create build assemb\$5) with interface	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/22 12:30
S65	3	("5359703" "5414801" "5416713").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 12:33
S66	89	view near point near model	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 12:35
S67	960	view near point and 345/418-427.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 12:35
S68	1975	(viewpoint eyepoint eye-point (eye near point) (view near point)) and 345/418-427.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 12:36

S69	362	(viewpoint eyepoint eye-point (eye near point) (view near point)).ti, ab. and 345/418-427.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 12:36
S70	192	(viewpoint eyepoint eye-point (eye near point) (view near point)).ti, ab. and (customi\$5 adapt\$5 dynamic\$5) and 345/418-427.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 12:37
S71	17	(viewpoint eyepoint eye-point (eye near point) (view near point)).ti, ab. and (customi\$5 adapt\$5 dynamic\$5).ti,ab. and 345/418-427.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 13:16
S72	1	("6222554").URPN.	USPAT	OR	OFF	2005/12/22 12:45
S73	12	("4325639" "4873515" "4949280" "5010515" "5338200" "5363475" "5550960" "5649173" "5682520" "5742749" "6018350" "6064393").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 12:45
S74	3	("5359703" "5414801" "5416713").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 13:16
S75	1357	345/473-474.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 13:16
S76	5	(viewpoint eyepoint eye-point (eye near point) (view near point)).ti, ab. and (customi\$5 adapt\$5 dynamic\$5).ti,ab. and 345/473-474.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 13:17
S77	53	(viewpoint eyepoint eye-point (eye near point) (view near point)).ti, ab. and 345/473-474.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 13:22
S78	2102	(viewpoint eyepoint eye-point (eye near point) (view near point)).ti, ab.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 13:23
S79	46	(viewpoint eyepoint eye-point (eye near point) (view near point)).ti, ab. and physics	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 13:24
S80	4	("4308015" "5364271" "5388990" "5456604").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 13:35
S81	3	"6222554"	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/22 13:35

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☒ **BLACK BORDERS**

☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**

☐ **FADED TEXT OR DRAWING**

☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**

☐ **SKEWED/SLANTED IMAGES**

☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**

☐ **GRAY SCALE DOCUMENTS**

☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**

☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**

☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.